
Functor Documentation

Release 0.0

Uber AI Labs

Jul 31, 2020

1 Domains	1
2 Operations	3
2.1 Built-in operations	3
2.2 Operation classes	4
3 Interpretations	5
3.1 Interpreter	5
3.2 Monte Carlo	5
3.3 Memoize	6
4 FunSors	7
4.1 Basic FunSors	7
4.2 Delta	12
4.3 PyTorch	13
4.4 NumPy	15
4.5 Gaussian	17
4.6 Joint	18
4.7 Contraction	18
4.8 Integrate	19
5 Optimizer	21
6 Adjoint Algorithms	23
7 Sum-Product Algorithms	25
8 Affine Pattern Matching	27
9 Testing Utilities	29
10 Pyro-Compatible Distributions	31
10.1 FunSORDistribution Base Class	31
10.2 Hidden Markov Models	32
10.3 Conversion Utilities	36
11 Distribution FunSors	39

12 Mini-Pyro Interface	43
12.1 Mini Pyro	43
13 Einsum Interface	47
14 Indices and tables	49
Python Module Index	51
Index	53

CHAPTER 1

Domains

```
class Domain
    Bases: functor.domains.Domain

    An object representing the type and shape of a Functor input or output.

    num_elements
    size
    reals(*shape)
        Construct a real domain of given shape.

    bint(size)
        Construct a bounded integer domain of scalar shape.

    find_domain(op, *domains)
        Finds the Domain resulting when applying op to domains.
        :param callable op: An operation.
        :param Domain *domains: One or more input domains.
```


CHAPTER 2

Operations

2.1 Built-in operations

```
abs = ops.abs
add = ops.add
and_ = ops.and_
eq = ops.eq
exp = ops.exp
ge = ops.ge
getitem = ops.GetItemOp(0)
    Op encoding an index into one dimension, e.g. x[:, :, y] for offset of 2.
gt = ops.gt
invert = ops.invert
le = ops.le
log = ops.log
log1p = ops.log1p
lt = ops.lt
matmul = ops.matmul
max = ops.max
min = ops.min
mul = ops.mul
ne = ops.ne
neg = ops.neg
```

```
or_ = ops.or_
pow = ops.pow
safediv = ops.safediv
safesub = ops.safesub
sigmoid = ops.sigmoid
sqrt = ops.sqrt
sub = ops.sub
truediv = ops.truediv
xor = ops.xor
```

2.2 Operation classes

```
class Op (fn)
    Bases: multipledispatch.dispatcher.Dispatcher

class AssociativeOp (fn)
    Bases: funsor.ops.Op

class AddOp (fn)
    Bases: funsor.ops.AssociativeOp

class LogAddExpOp (fn)
    Bases: funsor.ops.AssociativeOp

class SubOp (fn)
    Bases: funsor.ops.Op

class NegOp (fn)
    Bases: funsor.ops.Op

class ReshapeOp (shape)
    Bases: funsor.ops.Op

class GetitemOp (offset)
    Bases: funsor.ops.Op

    Op encoding an index into one dimension, e.g. x[:, :, y] for offset of 2.

class ExpOp (fn)
    Bases: funsor.ops.TransformOp

class LogOp (fn)
    Bases: funsor.ops.TransformOp

class ReciprocalOp (fn)
    Bases: funsor.ops.Op
```

CHAPTER 3

Interpretations

3.1 Interpreter

`set_interpretation(new)`

`interpretation(new)`

`reinterpret(x)`

Overloaded reinterpretation of a deferred expression.

This handles a limited class of expressions, raising `ValueError` in unhandled cases.

Parameters `x` (A *funstor or data structure holding funsors.*) – An input, typically involving deferred `Funstor`s.

Returns A reinterpreted version of the input.

Raises `ValueError`

`dispatched_interpretation(fn)`

Decorator to create a dispatched interpretation function.

`exception PatternMissingError`

Bases: `NotImplementedError`

3.2 Monte Carlo

`monte_carlo(cls, *args)`

A Monte Carlo interpretation of `Integrate` expressions. This falls back to `eager` in other cases.

`monte_carlo_interpretation(**sample_inputs)`

Context manager to set `monte_carlo.sample_inputs` and install the `monte_carlo()` interpretation.

3.3 Memoize

`memoize (cache=None)`

Exploit cons-hashing to do implicit common subexpression elimination

CHAPTER 4

Funsors

4.1 Basic Funsors

reflect (*cls*, **args*, ***kwargs*)

Construct a funsor, populate `._ast_values`, and cons hash. This is the only interpretation allowed to construct funsors.

lazy (*cls*, **args*)

Substitute eagerly but perform ops lazily.

eager (*cls*, **args*)

Eagerly execute ops with known implementations.

eager_or_die (*cls*, **args*)

Eagerly execute ops with known implementations. Disallows lazy `Subs`, `Unary`, `Binary`, and `Reduce`.

Raises `NotImplementedError` no pattern is found.

sequential (*cls*, **args*)

Eagerly execute ops with known implementations; additionally execute vectorized ops sequentially if no known vectorized implementation exists.

moment_matching (*cls*, **args*)

A moment matching interpretation of `Reduce` expressions. This falls back to `eager` in other cases.

class Funsor (*inputs*, *output*, *fresh=None*, *bound=None*)

Bases: `object`

Abstract base class for immutable functional tensors.

Concrete derived classes must implement `__init__()` methods taking hashable `*args` and no optional `**kwargs` so as to support cons hashing.

Derived classes with `.fresh` variables must implement an `eager_subs()` method. Derived classes with `.bound` variables must implement an `_alpha_convert()` method.

Parameters

- **inputs** (*OrderedDict*) – A mapping from input name to domain. This can be viewed as a typed context or a mapping from free variables to domains.
- **output** (*Domain*) – An output domain.

dtype

shape

quote()

pretty (*maxlen=40*)

item()

requires_grad

reduce (*op, reduced_vars=None*)

Reduce along all or a subset of inputs.

Parameters

- **op** (*callable*) – A reduction operation.
- **reduced_vars** (*str, Variable, or set or frozenset thereof.*) – An optional input name or set of names to reduce. If unspecified, all inputs will be reduced.

sample (*sampled_vars, sample_inputs=None*)

Create a Monte Carlo approximation to this funsor by replacing functions of `sampled_vars` with `Delta`s.

The result is a *Funsor* with the same `.inputs` and `.output` as the original funsor (plus `sample_inputs` if provided), so that self can be replaced by the sample in expectation computations:

```
y = x.sample(sampled_vars)
assert y.inputs == x.inputs
assert y.output == x.output
exact = (x.exp() * integrand).reduce(ops.add)
approx = (y.exp() * integrand).reduce(ops.add)
```

If `sample_inputs` is provided, this creates a batch of samples scaled samples.

Parameters

- **sampled_vars** (*str, Variable, or set or frozenset thereof.*) – A set of input variables to sample.
- **sample_inputs** (*OrderedDict*) – An optional mapping from variable name to *Domain* over which samples will be batched.

unscaled_sample (*sampled_vars, sample_inputs*)

Internal method to draw an unscaled sample. This should be overridden by subclasses.

align (*names*)

Align this funsor to match given names. This is mainly useful in preparation for extracting `.data` of a `funsor.torch.Tensor`.

Parameters **names** (*tuple*) – A tuple of strings representing all names but in a new order.

Returns A permuted funsor equivalent to self.

Return type *Funsor*

eager_subs (*subs*)

Internal substitution function. This relies on the user-facing `__call__()` method to coerce non-Functors to Functors. Once all inputs are Functors, `eager_subs()` implementations can recurse to call `Subs`.

eager_unary (*op*)**eager_reduce** (*op, reduced_vars*)**sequential_reduce** (*op, reduced_vars*)**moment_matching_reduce** (*op, reduced_vars*)**abs** ()**sqrt** ()**exp** ()**log** ()**log1p** ()**sigmoid** ()**reshape** (*shape*)**sum** ()**prod** ()**logsumexp** ()**all** ()**any** ()**min** ()**max** ()**to_data** (*x*)

Extract a python object from a *Functor*.

Raises a `ValueError` if free variables remain or if the functor is lazy.

Parameters **x** – An object, possibly a *Functor*.

Returns A non-functor equivalent to *x*.

Raises `ValueError` if any free variables remain.

Raises `PatternMissingError` if functor is not fully evaluated.

class Variable (*name, output*)

Bases: `functor.terms.Functor`

Functor representing a single free variable.

Parameters

- **name** (`str`) – A variable name.
- **output** (`functor.domains.Domain`) – A domain.

eager_subs (*subs*)**class Subs** (*arg, subs*)

Bases: `functor.terms.Functor`

Lazy substitution of the form *x* (*u=y, v=z*).

Parameters

- **arg** (`Functor`) – A functor being substituted into.
- **subs** (`tuple`) – A tuple of `(name, value)` pairs, where `name` is a string and `value` can be coerced to a `Functor` via `to_functor()`.

unscaled_sample (`sampled_vars, sample_inputs`)

class Unary (`op, arg`)

Bases: `functor.terms.Functor`

Lazy unary operation.

Parameters

- **op** (`Op`) – A unary operator.
- **arg** (`Functor`) – An argument.

class Binary (`op, lhs, rhs`)

Bases: `functor.terms.Functor`

Lazy binary operation.

Parameters

- **op** (`Op`) – A binary operator.
- **lhs** (`Functor`) – A left hand side argument.
- **rhs** (`Functor`) – A right hand side argument.

class Reduce (`op, arg, reduced_vars`)

Bases: `functor.terms.Functor`

Lazy reduction over multiple variables.

Parameters

- **op** (`Op`) – A binary operator.
- **arg** (`functor`) – An argument to be reduced.
- **reduced_vars** (`frozenset`) – A set of variable names over which to reduce.

class Number (`data, dtype=None`)

Bases: `functor.terms.Functor`

Functor backed by a Python number.

Parameters

- **data** (`numbers.Number`) – A python number.
- **dtype** – A nonnegative integer or the string “real”.

item()

eager_unary (`op`)

class Slice (`name, start, stop, step, dtype`)

Bases: `functor.terms.Functor`

Symbolic representation of a Python `slice` object.

Parameters

- **name** (`str`) – A name for the new slice dimension.

- **start** (*int*) –
- **stop** (*int*) –
- **step** (*int*) – Three args following `slice` semantics.
- **dtype** (*int*) – An optional bounded integer type of this slice.

eager_subs (*subs*)

class Stack (*name, parts*)
Bases: `functor.terms.Functor`

Stack of functors along a new input dimension.

Parameters

- **name** (*str*) – The name of the new input variable along which to stack.
- **parts** (*tuple*) – A tuple of Functors of homogenous output domain.

eager_subs (*subs*)

eager_reduce (*op, reduced_vars*)

class Cat (*name, parts, part_name=None*)
Bases: `functor.terms.Functor`

Concatenate functors along an existing input dimension.

Parameters

- **name** (*str*) – The name of the input variable along which to concatenate.
- **parts** (*tuple*) – A tuple of Functors of homogenous output domain.

eager_subs (*subs*)

class Lambda (*var, expr*)
Bases: `functor.terms.Functor`

Lazy inverse to `opsgetitem`.

This is useful to simulate higher-order functions of integers by representing those functions as arrays.

Parameters

- **var** (`Variable`) – A variable to bind.
- **expr** (*functor*) – A functor.

class Independent (*fn, reals_var, bint_var, diag_var*)
Bases: `functor.terms.Functor`

Creates an independent diagonal distribution.

This is equivalent to substitution followed by reduction:

```
f = ... # a batched distribution
assert f.inputs['x_i'] == reals(4, 5)
assert f.inputs['i'] == bint(3)

g = Independent(f, 'x', 'i', 'x_i')
assert g.inputs['x'] == reals(3, 4, 5)
assert 'x_i' not in g.inputs
assert 'i' not in g.inputs
```

(continues on next page)

(continued from previous page)

```
x = Variable('x', reals(3, 4, 5))
g == f(x_i=x['i']).reduce(ops.logaddexp, 'i')
```

Parameters

- **fn** (*Functor*) – A functor.
- **reals_var** (*str*) – The name of a real-tensor input.
- **bint_var** (*str*) – The name of a new batch input of fn.
- **diag_var** – The name of a smaller-shape real input of fn.

unscaled_sample (*sampled_vars*, *sample_inputs*)

eager_subs (*subs*)

of_shape (**shape*)

Decorator to construct a *Functor* with one free *Variable* per function arg.

to_functor (**args*, ***kwargs*)

Multiply dispatched method: `to_functor`

Convert to a *Functor*. Only *Functor*s and scalars are accepted.

param *x* An object.

param **functor.domains.Domain output** An optional output hint.

return A Functo equivalent to *x*.

rtype *Functor*

raises *ValueError*

Other signatures: *Functor* object, *object* object, *Domain* *Functor*, *Domain* str, *Domain* Number Number, *Domain* Tensor Tensor, *Domain* ndarray ndarray, *Domain*

4.2 Delta

solve (*expr*, *value*)

Tries to solve for free inputs of an *expr* such that *expr* == *value*, and computes the log-abs-det-Jacobian of the resulting substitution.

Parameters

- **expr** (*Functor*) – An expression with a free variable.
- **value** (*Functor*) – A target value.

Returns A tuple (*name*, *point*, *log_abs_det_jacobian*)

Return type *tuple*

Raises *ValueError*

class Delta (*terms*)

Bases: *functor.terms.Functor*

Normalized delta distribution binding multiple variables.

align (*names*)

```
eager_subs (subs)
eager_reduce (op, reduced_vars)
unscaled_sample (sampled_vars, sample_inputs)
```

4.3 PyTorch

ignore_jit_warnings ()

align_tensor (*new_inputs, x, expand=False*)

Permute and add dims to a tensor to match desired *new_inputs*.

Parameters

- **new_inputs** (*OrderedDict*) – A target set of inputs.
- **x** (*functor.terms.Functor*) – A *Tensor* or *Number*.
- **expand** (*bool*) – If False (default), set result size to 1 for any input of *x* not in *new_inputs*; if True expand to *new_inputs* size.

Returns a number or *torch.Tensor* that can be broadcast to other tensors with inputs *new_inputs*.

Return type *int* or *float* or *torch.Tensor*

align_tensors (**args*, ***kwargs*)

Permute multiple tensors before applying a broadcasted op.

This is mainly useful for implementing eager funsor operations.

Parameters

- ***args** (*functor.terms.Functor*) – Multiple *Tensor*s and *Number*s.
- **expand** (*bool*) – Whether to expand input tensors. Defaults to False.

Returns a pair (*inputs, tensors*) where tensors are all *torch.Tensor*s that can be broadcast together to a single data with given *inputs*.

Return type *tuple*

class Tensor (*data, inputs=None, dtype='real'*)

Bases: *functor.terms.Functor*

Funsor backed by a PyTorch Tensor.

This follows the *torch.distributions* convention of arranging named “batch” dimensions on the left and remaining “event” dimensions on the right. The output shape is determined by all remaining dims. For example:

```
data = torch.zeros(5, 4, 3, 2)
x = Tensor(data, OrderedDict([('i', bint(5)), ('j', bint(4))]))
assert x.output == reals(3, 2)
```

Operators like *matmul* and *.sum()* operate only on the output shape, and will not change the named inputs.

Parameters

- **data** (*torch.Tensor*) – A PyTorch tensor.
- **inputs** (*OrderedDict*) – An optional mapping from input name (str) to datatype (*Domain*). Defaults to empty.

- **dtype** (*int* or the string "real".) – optional output datatype. Defaults to "real".

```
item()
clamp_finite()
requires_grad
align(names)
eager_subs(subs)
eager_unary(op)
eager_reduce(op, reduced_vars)
unscaled_sample(sampled_vars, sample_inputs)
```

arange(*name*, **args*, ***kwargs*)

Helper to create a named `torch.arange()` funsor. In some cases this can be replaced by a symbolic `Slice`.

Parameters

- **name** (*str*) – A variable name.
- **start** (*int*) –
- **stop** (*int*) –
- **step** (*int*) – Three args following `slice` semantics.
- **dtype** (*int*) – An optional bounded integer type of this slice.

Return type `Tensor`**materialize**(*x*)

Attempt to convert a Funsor to a `Number` or `Tensor` by substituting `arange()`s into its free variables.

Parameters **x** (`Funsor`) – A funsor.**Return type** `Funsor`**class Function**(*fn, output, args*)

Bases: `funsor.terms.Funsor`

Funsor wrapped by a PyTorch function.

Functions are assumed to support broadcasting and can be eagerly evaluated on funsors with free variables of int type (i.e. batch dimensions).

`Function`s are usually created via the `function()` decorator.

Parameters

- **fn** (`callable`) – A PyTorch function to wrap.
- **output** (`funsor.domains.Domain`) – An output domain.
- **args** (`Funsor`) – Funsor arguments.

function(**signature*)

Decorator to wrap a PyTorch function.

Example:

```
@functor.torch.function(reals(3, 4), reals(4, 5), reals(3, 5))
def matmul(x, y):
    return torch.matmul(x, y)

@functor.torch.function(reals(10), reals(10, 10), reals())
def mvn_log_prob(loc, scale_tril, x):
    d = torch.distributions.MultivariateNormal(loc, scale_tril)
    return d.log_prob(x)
```

To support functions that output nested tuples of tensors, specify a nested tuple of output types, for example:

```
@functor.torch.function(reals(8), (reals(), bint(8)))
def max_and_argmax(x):
    return torch.max(x, dim=-1)
```

Parameters `*signature` – A sequence of input domains followed by a final output domain or nested tuple of output domains.

class `Einsum`(*equation, operands*)
Bases: `functor.terms.Functor`

Wrapper around `torch.einsum()` to operate on real-valued Functors.

Note this operates only on the output tensor. To perform sum-product contractions on named dimensions, instead use + and `Reduce`.

Parameters

- `equation` (`str`) – An `torch.einsum()` equation.
- `operands` (`tuple`) – A tuple of input functors.

`torch_tensordot`(*x, y, dims*)

Wrapper around `torch.tensordot()` to operate on real-valued Functors.

Note this operates only on the output tensor. To perform sum-product contractions on named dimensions, instead use + and `Reduce`.

Arguments should satisfy:

```
len(x.shape) >= dims
len(y.shape) >= dims
dims == 0 or x.shape[-dims:] == y.shape[:dims]
```

Parameters

- `x` (`Functor`) – A left hand argument.
- `y` (`Functor`) – A right hand argument.
- `dims` (`int`) – The number of dimension of overlap of output shape.

Return type `Functor`

4.4 NumPy

`align_array`(*new_inputs, x*)
Permute and expand an array to match desired `new_inputs`.

Parameters

- **new_inputs** (*OrderedDict*) – A target set of inputs.
- **x** (*functor.terms.Functor*) – A *Array*s or or *Number*.

Returns a number or *numpy.ndarray* that can be broadcast to other array with inputs new_inputs.

Return type tuple**align_arrays**(*args)

Permute multiple arrays before applying a broadcasted op.

This is mainly useful for implementing eager functor operations.

Parameters *args (*functor.terms.Functor*) – Multiple *Array*s and *Number*s.

Returns a pair (inputs, arrays) where arrayss are all *numpy.ndarray*s that can be broadcast together to a single data with given inputs.

Return type tuple**class ArrayMeta** (name, bases, dct)

Bases: *functor.terms.FunctorMeta*

Wrapper to fill in default args and convert between OrderedDict and tuple.

class Array (data, inputs=None, dtype='real')

Bases: *functor.terms.Functor*

Functor backed by a NumPy Array.

This follows the *torch.distributions* convention of arranging named “batch” dimensions on the left and remaining “event” dimensions on the right. The output shape is determined by all remaining dims. For example:

```
data = np.zeros((5, 4, 3, 2))
x = Array(data, OrderedDict([('i', bint(5)), ('j', bint(4))]))
assert x.output == reals(3, 2)
```

Operators like *matmul* and *.sum()* operate only on the output shape, and will not change the named inputs.

Parameters

- **data** (*np.ndarray*) – A NumPy array.
- **inputs** (*OrderedDict*) – An optional mapping from input name (str) to datatype (*Domain*). Defaults to empty.
- **dtype** (*int* or the string "real".) – optional output datatype. Defaults to "real".

item()**align(names)****eager_subs(subs)****eager_binary_array_number** (op, lhs, rhs)**eager_binary_number_array** (op, lhs, rhs)**eager_binary_array_array** (op, lhs, rhs)**arange** (name, size)

Helper to create a named *numpy.arange()* functor.

Parameters

- **name** (*str*) – A variable name.
- **size** (*int*) – A size.

Return type *Array***materialize** (*x*)

Attempt to convert a Functor to a *Number* or `numpy.ndarray` by substituting `arange()`s into its free variables.

4.5 Gaussian

class BlockVector (*shape*)Bases: `object`

Jit-compatible helper to build blockwise vectors. Syntax is similar to `torch.zeros()`

```
x = BlockVector((100, 20))
x[..., 0:4] = x1
x[..., 6:10] = x2
x = x.as_tensor()
assert x.shape == (100, 20)
```

as_tensor()**class BlockMatrix** (*shape*)Bases: `object`

Jit-compatible helper to build blockwise matrices. Syntax is similar to `torch.zeros()`

```
x = BlockMatrix((100, 20, 20))
x[..., 0:4, 0:4] = x11
x[..., 0:4, 6:10] = x12
x[..., 6:10, 0:4] = x12.transpose(-1, -2)
x[..., 6:10, 6:10] = x22
x = x.as_tensor()
assert x.shape == (100, 20, 20)
```

as_tensor()**align_gaussian** (*new_inputs*, *old*)

Align data of a Gaussian distribution to a new `inputs` shape.

class Gaussian (*info_vec*, *precision*, *inputs*)Bases: `functor.terms.Functor`

Functor representing a batched joint Gaussian distribution as a log-density function.

Mathematically, a Gaussian represents the density function:

```
f(x) = < x | info_vec > - 0.5 * < x | precision | x >
       = < x | info_vec - 0.5 * precision @ x >
```

Note that *Gaussian*s are not normalized, rather they are canonicalized to evaluate to zero log density at the origin: $f(0) = 0$. This canonical form is useful in combination with the information filter representation because it allows *Gaussian*s with incomplete information, i.e. zero eigenvalues in the precision matrix. These incomplete distributions arise when making low-dimensional observations on higher dimensional hidden state.

Parameters

- **info_vec** (`torch.Tensor`) – An optional batched information vector, where `info_vec = precision @ mean.`
- **precision** (`torch.Tensor`) – A batched positive semidefinite precision matrix.
- **inputs** (`OrderedDict`) – Mapping from name to `Domain`.

```
log_normalizer
align(names)
eager_subs(subs)
eager_reduce(op, reduced_vars)
unscaled_sample(sampled_vars, sample_inputs)
```

4.6 Joint

```
moment_matching_contract_default(*args)
moment_matching_contract_joint(red_op, bin_op, reduced_vars, discrete, gaussian)
eager_reduce_exp(op, arg, reduced_vars)
eager_independent_joint(joint, reals_var, bint_var, diag_var)
```

4.7 Contraction

```
class Contraction(red_op, bin_op, reduced_vars, terms)
Bases: funsor.terms.Functor
```

Declarative representation of a finitary sum-product operation.

After normalization via the `normalize()` interpretation contractions will canonically order their terms by type:

```
Delta, Number, Tensor, Gaussian
```

```
unscaled_sample(sampled_vars, sample_inputs)
```

```
align(names)
```

GaussianMixture

alias of `funsor.cnf.Contraction`

```
recursion_reinterpret_contraction(x)
```

```
eager_contraction_generic_to_tuple(red_op, bin_op, reduced_vars, *terms)
```

```
eager_contraction_generic_recursive(red_op, bin_op, reduced_vars, terms)
```

```
eager_contraction_to_reduce(red_op, bin_op, reduced_vars, term)
```

```
eager_contraction_to_binary(red_op, bin_op, reduced_vars, lhs, rhs)
```

```
eager_contraction_tensor(red_op, bin_op, reduced_vars, *terms)
```

```
eager_contraction_gaussian(red_op, bin_op, reduced_vars, x, y)
```

```

normalize_contraction_commutative_canonical_order (red_op, bin_op, reduced_vars,
                                                 *terms)
normalize_contraction_commute_joint (red_op, bin_op, reduced_vars, other, mixture)
normalize_contraction_generic_args (red_op, bin_op, reduced_vars, *terms)
normalize_trivial (red_op, bin_op, reduced_vars, term)
normalize_contraction_generic_tuple (red_op, bin_op, reduced_vars, terms)
binary_to_contract (op, lhs, rhs)
reduce_functor (op, arg, reduced_vars)
unary_neg_variable (op, arg)
do_fresh_subs (arg, subs)
distribute_subs_contraction (arg, subs)
normalize_fuse_subs (arg, subs)
binary_subtract (op, lhs, rhs)
binary_divide (op, lhs, rhs)
unary_log_exp (op, arg)
unary_contract (op, arg)

```

4.8 Integrate

class Integrate (*log_measure*, *integrand*, *reduced_vars*)
 Bases: `functor.terms.Functor`

Functor representing an integral wrt a log density functor.

Parameters

- **log_measure** (`Functor`) – A log density functor treated as a measure.
- **integrand** (`Functor`) – An integrand functor.
- **reduced_vars** (`str, Variable, or set or frozenset thereof.`) – An input name or set of names to reduce.

CHAPTER 5

Optimizer

```
unfold(cls, *args)
unfold_contraction_generic_tuple(red_op, bin_op, reduced_vars, terms)
optimize(cls, *args)
eager_contract_base(red_op, bin_op, reduced_vars, *terms)
optimize_contract_finitary_functor(red_op, bin_op, reduced_vars, terms)
apply_optimizer(x)
```


CHAPTER 6

Adjoint Algorithms

```
class AdjointTape
    Bases: object

    adjoint (red_op, bin_op, root, targets)

    adjoint_tensor (adj_redop, adj_binop, out_adj, data, inputs, dtype)
    adjoint_binary (adj_redop, adj_binop, out_adj, op, lhs, rhs)
    adjoint_reduce (adj_redop, adj_binop, out_adj, op, arg, reduced_vars)
    adjoint_contract_unary (adj_redop, adj_binop, out_adj, sum_op, prod_op, reduced_vars, arg)
    adjoint_contract_generic (adj_redop, adj_binop, out_adj, sum_op, prod_op, reduced_vars, terms)
    adjoint_contract (adj_redop, adj_binop, out_adj, sum_op, prod_op, reduced_vars, lhs, rhs)
    adjoint_cat (adj_redop, adj_binop, out_adj, name, parts, part_name)
    adjoint_subs_tensor (adj_redop, adj_binop, out_adj, arg, subs)
    adjoint_subs_gaussianmixture_gaussianmixture (adj_redop, adj_binop, out_adj, arg, subs)
    adjoint_subs_gaussian_gaussian (adj_redop, adj_binop, out_adj, arg, subs)
    adjoint_subs_gaussianmixture_discrete (adj_redop, adj_binop, out_adj, arg, subs)
```


Sum-Product Algorithms

partial_sum_product (*sum_op*, *prod_op*, *factors*, *eliminate=frozenset()*, *plates=frozenset()*)

Performs partial sum-product contraction of a collection of factors.

Returns a list of partially contracted Functors.

Return type *list*

sum_product (*sum_op*, *prod_op*, *factors*, *eliminate=frozenset()*, *plates=frozenset()*)

Performs sum-product contraction of a collection of factors.

Returns a single contracted Functor.

Return type *Functor*

naive_sequential_sum_product (*sum_op*, *prod_op*, *trans*, *time*, *step*)

sequential_sum_product (*sum_op*, *prod_op*, *trans*, *time*, *step*)

For a functor *trans* with dimensions *time*, *prev* and *curr*, computes a recursion equivalent to:

```
tail_time = 1 + arange("time", trans.inputs["time"].size - 1)
tail = sequential_sum_product(sum_op, prod_op,
    trans(time=tail_time),
    time, {"prev": "curr"})
return prod_op(trans(time=0) (curr="drop"), tail(prev="drop"))
    .reduce(sum_op, "drop")
```

but does so efficiently in parallel in O(log(*time*)).

Parameters

- **sum_op** ([AssociativeOp](#)) – A semiring sum operation.
- **prod_op** ([AssociativeOp](#)) – A semiring product operation.
- **trans** ([Functor](#)) – A transition functor.
- **time** ([Variable](#)) – The time input dimension.

- **step** (*dict*) – A dict mapping previous variables to current variables. This can contain multiple pairs of prev->curr variable names.

class **MarkovProductMeta** (*name, bases, dct*)

Bases: *functor.terms.FunctorMeta*

Wrapper to convert step to a tuple and fill in default step_names.

class **MarkovProduct** (*sum_op, prod_op, trans, time, step, step_names*)

Bases: *functor.terms.Functor*

Lazy representation of *sequential_sum_product ()*.

Parameters

- **sum_op** (*AssociativeOp*) – A marginalization op.
- **prod_op** (*AssociativeOp*) – A Bayesian fusion op.
- **trans** (*Functor*) – A sequence of transition factors, usually varying along the *time* input.
- **time** (*str or Variable*) – A time dimension.
- **step** (*dict*) – A str-to-str mapping of “previous” inputs of *trans* to “current” inputs of *trans*.
- **step_names** (*dict*) – Optional, for internal use by alpha conversion.

eager_subs (*subs*)

eager_markov_product (*sum_op, prod_op, trans, time, step, step_names*)

CHAPTER 8

Affine Pattern Matching

`is_affine (fn)`

A sound but incomplete test to determine whether a funsor is affine with respect to all of its real inputs.

Parameters `fn` (`Funsor`) – A funsor.

Return type `bool`

`affine_inputs (fn)`

Returns a [sound sub]set of real inputs of `fn` wrt which `fn` is known to be affine.

Parameters `fn` (`Funsor`) – A funsor.

Returns A set of input names wrt which `fn` is affine.

Return type `frozenset`

`extract_affine (fn)`

Extracts an affine representation of a funsor, satisfying:

```
x = ...
const, coeffs = extract_affine(x)
y = sum(Einsum(eqn, (coeff, Variable(var, coeff.output)))
        for var, (coeff, eqn) in coeffs.items())
assert_close(y, x)
assert frozenset(coeffs) == affine_inputs(x)
```

The `coeffs` will have one key per input wrt which `fn` is known to be affine (via `affine_inputs()`), and `const` and `coeffs.values` will all be constant wrt these inputs.

The affine approximation is computed by evaluating `fn` at zero and each basis vector. To improve performance, users may want to run under the `memoize()` interpretation.

Parameters `fn` (`Funsor`) – A funsor that is affine wrt the (add,mul) semiring in some subset of its inputs.

Returns A pair `(const, coeffs)` where `const` is a funsor with no real inputs and `coeffs` is an `OrderedDict` mapping input name to a `(coefficient, eqn)` pair in einsum form.

Return type tuple

CHAPTER 9

Testing Utilities

```
xfail_if_not_implemented(msg='Not implemented')

class ActualExpected
    Bases: funsor.testing.LazyComparison
    Lazy string formatter for test assertions.

id_from_inputs(inputs)
assert_close(actual, expected, atol=1e-06, rtol=1e-06)
check_funsor(x, inputs, output, data=None)
    Check dims and shape modulo reordering.

xfail_param(*args, **kwargs)
make_einsum_example(equation, fill=None, sizes=(2, 3))
assert_equiv(x, y)
    Check that two funsors are equivalent up to permutation of inputs.

random_tensor(inputs, output=reals())
    Creates a random funsor.torch.Tensor with given inputs and output.

random_array(inputs, output)
    Creates a random funsor.numpy.Array with given inputs and output.

random_gaussian(inputs)
    Creates a random funsor.gaussian.Gaussian with given inputs.

random_mvn(batch_shape, dim, diag=False)
    Generate a random torch.distributions.MultivariateNormal with given shape.

make_plated_hmm_einsum(num_steps, num_obs_plates=1, num_hidden_plates=0)
make_chain_einsum(num_steps)
make_hmm_einsum(num_steps)
```


CHAPTER 10

Pyro-Compatible Distributions

This interface provides a number of PyTorch-style distributions that use funsors internally to perform inference. These high-level objects are based on a wrapping class: `FunsorDistribution` which wraps a funsor in a PyTorch-distributions-compatible interface. `FunsorDistribution` objects can be used directly in Pyro models (using the standard Pyro backend).

10.1 FunsorDistribution Base Class

```
class FunsorDistribution(funsor_dist, batch_shape=torch.Size([]), event_shape=torch.Size([]),
                        dtype='real', validate_args=None)
Bases: pyro.distributions.torch_distribution.TorchDistribution
```

Distribution wrapper around a `Funsor` for use in Pyro code. This is typically used as a base class for specific funsor inference algorithms wrapped in a distribution interface.

Parameters

- **funsor_dist** (`funsor.terms.Funsor`) – A funsor with an input named “value” that is treated as a random variable. The distribution should be normalized over “value”.
- **batch_shape** (`torch.Size`) – The distribution’s batch shape. This must be in the same order as the input of the `funsor_dist`, but may contain extra dims of size 1.
- **event_shape** – The distribution’s event shape.

```
arg_constraints = {}
support
log_prob(value)
sample(sample_shape=torch.Size([]))
rsample(sample_shape=torch.Size([]))
expand(batch_shape, _instance=None)
```

10.2 Hidden Markov Models

```
class DiscreteHMM(initial_logits, transition_logits, observation_dist, validate_args=None)
Bases: funsor.pyro.distribution.FunctorDistribution
```

Hidden Markov Model with discrete latent state and arbitrary observation distribution. This uses [1] to parallelize over time, achieving O(log(time)) parallel complexity.

The event_shape of this distribution includes time on the left:

```
event_shape = (num_steps,) + observation_dist.event_shape
```

This distribution supports any combination of homogeneous/heterogeneous time dependency of transition_logits and observation_dist. However, because time is included in this distribution's event_shape, the homogeneous+homogeneous case will have a broadcastable event_shape with num_steps = 1, allowing `log_prob()` to work with arbitrary length data:

```
# homogeneous + homogeneous case:
event_shape = (1,) + observation_dist.event_shape
```

This class should be interchangeable with `pyro.distributions.hmm.DiscreteHMM`.

References:

- [1] Simo Sarkka, Angel F. Garcia-Fernandez (2019) “Temporal Parallelization of Bayesian Filters and Smoothers” <https://arxiv.org/pdf/1905.13002.pdf>

Parameters

- **initial_logits** (`Tensor`) – A logits tensor for an initial categorical distribution over latent states. Should have rightmost size `state_dim` and be broadcastable to `batch_shape + (state_dim,)`.
- **transition_logits** (`Tensor`) – A logits tensor for transition conditional distributions between latent states. Should have rightmost shape `(state_dim, state_dim)` (old, new), and be broadcastable to `batch_shape + (num_steps, state_dim, state_dim)`.
- **observation_dist** (`Distribution`) – A conditional distribution of observed data conditioned on latent state. The `.batch_shape` should have rightmost size `state_dim` and be broadcastable to `batch_shape + (num_steps, state_dim)`. The `.event_shape` may be arbitrary.

```
has_rsample
```

```
log_prob(value)
```

```
expand(batch_shape, _instance=None)
```

```
class GaussianHMM(initial_dist, transition_matrix, transition_dist, observation_matrix, observation_dist, validate_args=None)
Bases: funsor.pyro.distribution.FunctorDistribution
```

Hidden Markov Model with Gaussians for initial, transition, and observation distributions. This adapts [1] to parallelize over time to achieve O(log(time)) parallel complexity, however it differs in that it tracks the log normalizer to ensure `log_prob()` is differentiable.

This corresponds to the generative model:

```

z = initial_distribution.sample()
x = []
for t in range(num_steps):
    z = z @ transition_matrix + transition_dist.sample()
    x.append(z @ observation_matrix + observation_dist.sample())

```

The event_shape of this distribution includes time on the left:

```
event_shape = (num_steps,) + observation_dist.event_shape
```

This distribution supports any combination of homogeneous/heterogeneous time dependency of transition_dist and observation_dist. However, because time is included in this distribution's event_shape, the homogeneous+homogeneous case will have a broadcastable event_shape with num_steps = 1, allowing log_prob() to work with arbitrary length data:

```
event_shape = (1, obs_dim) # homogeneous + homogeneous case
```

This class should be compatible with `pyro.distributions.hmm.GaussianHMM`, but additionally supports functor `adjoint` algorithms.

References:

- [1] Simo Sarkka, Angel F. Garcia-Fernandez (2019) “Temporal Parallelization of Bayesian Filters and Smoothers” <https://arxiv.org/pdf/1905.13002.pdf>

Variables

- `hidden_dim` (`int`) – The dimension of the hidden state.
- `obs_dim` (`int`) – The dimension of the observed state.

Parameters

- `initial_dist` (`MultivariateNormal`) – A distribution over initial states. This should have batch_shape broadcastable to `self.batch_shape`. This should have event_shape (`hidden_dim`,).
- `transition_matrix` (`Tensor`) – A linear transformation of hidden state. This should have shape broadcastable to `self.batch_shape + (num_steps, hidden_dim, hidden_dim)` where the rightmost dims are ordered (old, new).
- `transition_dist` (`MultivariateNormal`) – A process noise distribution. This should have batch_shape broadcastable to `self.batch_shape + (num_steps,)`. This should have event_shape (`hidden_dim`,).
- `transition_matrix` – A linear transformation from hidden to observed state. This should have shape broadcastable to `self.batch_shape + (num_steps, hidden_dim, obs_dim)`.
- `observation_dist` (`MultivariateNormal` or `Normal`) – An observation noise distribution. This should have batch_shape broadcastable to `self.batch_shape + (num_steps,)`. This should have event_shape (`obs_dim`,).

```

has_rsample = True
arg_constraints = {}

class GaussianMRF(initial_dist, transition_dist, observation_dist, validate_args=None)
    Bases: functor.pyro.distribution.FunctorDistribution

```

Temporal Markov Random Field with Gaussian factors for initial, transition, and observation distributions. This adapts [1] to parallelize over time to achieve $O(\log(\text{time}))$ parallel complexity, however it differs in that it tracks the log normalizer to ensure `log_prob()` is differentiable.

The event_shape of this distribution includes time on the left:

```
event_shape = (num_steps,) + observation_dist.event_shape
```

This distribution supports any combination of homogeneous/heterogeneous time dependency of `transition_dist` and `observation_dist`. However, because time is included in this distribution's `event_shape`, the homogeneous+homogeneous case will have a broadcastable `event_shape` with `num_steps = 1`, allowing `log_prob()` to work with arbitrary length data:

```
event_shape = (1, obs_dim) # homogeneous + homogeneous case
```

This class should be compatible with `pyro.distributions.hmm.GaussianMRF`, but additionally supports functor `adjoint` algorithms.

References:

- [1] Simo Sarkka, Angel F. Garcia-Fernandez (2019) “Temporal Parallelization of Bayesian Filters and Smoothers” <https://arxiv.org/pdf/1905.13002.pdf>

Variables

- `hidden_dim` (`int`) – The dimension of the hidden state.
- `obs_dim` (`int`) – The dimension of the observed state.

Parameters

- `initial_dist` (`MultivariateNormal`) – A distribution over initial states. This should have `batch_shape` broadcastable to `self.batch_shape`. This should have `event_shape` (`hidden_dim`,).
- `transition_dist` (`MultivariateNormal`) – A joint distribution factor over a pair of successive time steps. This should have `batch_shape` broadcastable to `self.batch_shape + (num_steps,)`. This should have `event_shape` (`hidden_dim + hidden_dim`,) (old+new).
- `observation_dist` (`MultivariateNormal`) – A joint distribution factor over a hidden and an observed state. This should have `batch_shape` broadcastable to `self.batch_shape + (num_steps,)`. This should have `event_shape` (`hidden_dim + obs_dim`,).

```
has_rsample = True

class SwitchingLinearHMM(initial_logits, initial_mvn, transition_logits, transition_matrix, transition_mvn, observation_matrix, observation_mvn, exact=False, validate_args=None)
```

Bases: `functor.pyro.distribution.FunctorDistribution`

Switching Linear Dynamical System represented as a Hidden Markov Model.

This corresponds to the generative model:

```
z = Categorical(logits=initial_logits).sample()
y = initial_mvn[z].sample()
x = []
for t in range(num_steps):
```

(continues on next page)


(continued from previous page)

```

z = Categorical(logits=transition_logits[t, z]).sample()
y = y @ transition_matrix[t, z] + transition_mvn[t, z].sample()
x.append(y @ observation_matrix[t, z] + observation_mvn[t, z].sample())

```

Viewed as a dynamic Bayesian network:



Let `class` be the latent class, `state` be the latent multivariate normal state, and `value` be the observed multivariate normal value.

Parameters

- `initial_logits` (`Tensor`) – Represents $p(\text{class}[0])$.
- `initial_mvn` (`MultivariateNormal`) – Represents $p(\text{state}[0] \mid \text{class}[0])$.
- `transition_logits` (`Tensor`) – Represents $p(\text{class}[t+1] \mid \text{class}[t])$.
- `transition_matrix` (`Tensor`) –
- `transition_mvn` (`MultivariateNormal`) – Together with `transition_matrix`, this represents $p(\text{state}[t], \text{state}[t+1] \mid \text{class}[t])$.
- `observation_matrix` (`Tensor`) –
- `observation_mvn` (`MultivariateNormal`) – Together with `observation_matrix`, this represents $p(\text{value}[t+1], \text{state}[t+1] \mid \text{class}[t+1])$.
- `exact` (`bool`) – If True, perform exact inference at cost exponential in `num_steps`. If False, use a `moment_matching()` approximation and use parallel scan algorithm to reduce parallel complexity to logarithmic in `num_steps`. Defaults to False.

```

has_rsample = True
arg_constraints = {}
log_prob(value)
expand(batch_shape, _instance=None)
filter(value)

```

Compute posterior over final state given a sequence of observations.

Parameters `value` (`Tensor`) – A sequence of observations.

Returns A posterior distribution over latent states at the final time step, represented as a pair `(cat, mvn)`, where `Categorical` distribution over mixture components and `mvn` is a `MultivariateNormal` with rightmost batch dimension ranging over mixture components. This can then be used to initialize a sequential Pyro model for prediction.

Return type `tuple`

10.3 Conversion Utilities

This module follows a convention for converting between funsors and PyTorch distribution objects. This convention is compatible with NumPy/PyTorch-style broadcasting. Following PyTorch distributions (and Tensorflow distributions), we consider “event shapes” to be on the right and broadcast-compatible “batch shapes” to be on the left.

This module also aims to be forgiving in inputs and pedantic in outputs: methods accept either the superclass `torch.distributions.Distribution` objects or the subclass `pyro.distributions.TorchDistribution` objects. Methods return only the narrower subclass `pyro.distributions.TorchDistribution` objects.

`tensor_to_funsor` (`tensor, event_inputs=(), event_output=0, dtype='real'`)

Convert a `torch.Tensor` to a `funsor.torch.Tensor`.

Note this should not touch data, but may trigger a `torch.Tensor.reshape()` op.

Parameters

- **`tensor`** (`torch.Tensor`) – A PyTorch tensor.
- **`event_inputs`** (`tuple`) – A tuple of names for rightmost tensor dimensions. If `tensor` has these names, they will be converted to `result.inputs`.
- **`event_output`** (`int`) – The number of tensor dimensions assigned to `result.output`. These must be on the right of any `event_input` dimensions.

Returns

A funsor.

Return type

`funsor.torch.Tensor`

`funsor_to_tensor` (`funsor_, ndims, event_inputs=()`)

Convert a `funsor.torch.Tensor` to a `torch.Tensor`.

Note this should not touch data, but may trigger a `torch.Tensor.reshape()` op.

Parameters

- **`funsor`** (`funsor.torch.Tensor`) – A funsor.
- **`ndims`** (`int`) – The number of result dims, == `result.dim()`.
- **`event_inputs`** (`tuple`) – Names assigned to rightmost dimensions.

Returns

A PyTorch tensor.

Return type

`torch.Tensor`

`mvn_to_funsor` (`pyro_dist, event_dims=(), real_inputs={}`)

Convert a joint `torch.distributions.MultivariateNormal` distribution into a `Functor` with multiple real inputs.

This should satisfy:

```
sum(d.num_elements for d in real_inputs.values())  
== pyro_dist.event_shape[0]
```

Parameters

- **`pyro_dist`** (`torch.distributions.MultivariateNormal`) – A multivariate normal distribution over one or more variables of real or vector or tensor type.
- **`event_dims`** (`tuple`) – A tuple of names for rightmost dimensions. These will be assigned to `result.inputs` of type `bint`.

- **real_inputs** (*OrderedDict*) – A dict mapping real variable name to appropriately sized `reals()`. The sum of all `.numel()` of all real inputs should be equal to the `pyro_dist` dimension.

Returns A funsor with given `real_inputs` and possibly additional bint inputs.

Return type `funsor.terms.Functor`

funsor_to_mv (*gaussian*, *ndims*, *event_inputs*=())

Convert a `Functor` to a `pyro.distributions.MultivariateNormal`, dropping the normalization constant.

Parameters

- **gaussian** (`funsor.gaussian.Gaussian` or `funsor.joint.Joint`) – A Gaussian funsor.
- **ndims** (`int`) – The number of batch dimensions in the result.
- **event_inputs** (`tuple`) – A tuple of names to assign to rightmost dimensions.

Returns a multivariate normal distribution.

Return type `pyro.distributions.MultivariateNormal`

funsor_to_cat_and_mv (*funsor_*, *ndims*, *event_inputs*)

Converts a labeled gaussian mixture model to a pair of distributions.

Parameters

- **funsor** (`funsor.joint.Joint`) – A Gaussian mixture funsor.
- **ndims** (`int`) – The number of batch dimensions in the result.

Returns A pair (`cat`, `mvn`), where `cat` is a `Categorical` distribution over mixture components and `mvn` is a `MultivariateNormal` with rightmost batch dimension ranging over mixture components.

class AffineNormal (*matrix*, *loc*, *scale*, *value_x*, *value_y*)

Bases: `funsor.terms.Functor`

Represents a conditional diagonal normal distribution over a random variable `Y` whose mean is an affine function of a random variable `X`. The likelihood of `X` is thus:

```
AffineNormal(matrix, loc, scale).condition(y).log_density(x)
```

which is equivalent to:

```
Normal(x @ matrix + loc, scale).to_event(1).log_prob(y)
```

Parameters

- **matrix** (`Functor`) – A transformation from `X` to `Y`. Should have rightmost shape (`x_dim`, `y_dim`).
- **loc** (`Functor`) – A constant offset for `Y`'s mean. Should have output shape (`y_dim`,).
- **scale** (`Functor`) – Standard deviation for `Y`. Should have output shape (`y_dim`,).
- **value_x** (`Functor`) – A value `X`.
- **value_y** (`Functor`) – A value `Y`.

matrix_and_mvns_to_functor(*matrix*, *mvn*, *event_dims*=(), *x_name*=’value_x’, *y_name*=’value_y’)

Convert a noisy affine function to a Gaussian. The noisy affine function is defined as:

```
y = x @ matrix + mvn.sample()
```

The result is a non-normalized Gaussian funsor with two real inputs, *x_name* and *y_name*, corresponding to a conditional distribution of real vector *y`* given real vector *x`*.

Parameters

- **matrix** (`torch.Tensor`) – A matrix with rightmost shape (*x_size*, *y_size*).
- **mvn** (`torch.distributions.MultivariateNormal` or `torch.distributions.Independent` of `torch.distributions.Normal`) – A multivariate normal distribution with *event_shape* == (*y_size*,).
- **event_dims** (`tuple`) – A tuple of names for rightmost dimensions. These will be assigned to `result.inputs` of type `bint`.
- **x_name** (`str`) – The name of the *x* random variable.
- **y_name** (`str`) – The name of the *y* random variable.

Returns A funsor with given `real_inputs` and possibly additional `bint` inputs.

Return type `funsor.terms.Functor`

dist_to_funsor(*pyro_dist*, *event_inputs*=())

Convert a PyTorch distribution to a Funsor.

This is currently implemented for only a subset of distribution types.

Parameters `torch.distribution.Distribution` – A PyTorch distribution.

Returns A funsor.

Return type `funsor.terms.Functor`

CHAPTER 11

Distribution Funsors

This interface provides a number of standard normalized probability distributions implemented as funsors.

```
class Distribution(*args)
    Bases: funsor.terms.Functor
```

Functor backed by a PyTorch distribution object.

Parameters `*args` – Distribution-dependent parameters. These can be either funsors or objects that can be coerced to funsors via `to_funsor()`. See derived classes for details.

```
dist_class = 'defined by derived classes'
```

```
eager_reduce(op, reduced_vars)
```

```
classmethod eager_log_prob(**params)
```

```
class BernoulliLogits(logits, value=None)
    Bases: funsor.distributions.Distribution
```

Wraps `pyro.distributions.Bernoulli`.

Parameters

- `logits` (`Functor`) – Log likelihood ratio of 1. This should equal $\log(p_1 / p_0)$.
- `value` (`Functor`) – Optional observation in $\{0, 1\}$.

```
dist_class
```

alias of `pyro.distributions.torch.Bernoulli`

```
Bernoulli(probs=None, logits=None, value='value')
```

Wraps `pyro.distributions.Bernoulli`.

This dispatches to either `BernoulliProbs` or `BernoulliLogits` to accept either `probs` or `logits` args.

Parameters

- `probs` (`Functor`) – Probability of 1.
- `value` (`Functor`) – Optional observation in $\{0, 1\}$.

class Beta(concentration1, concentration0, value=None)

Bases: *functor.distributions.Distribution*

Wraps *pyro.distributions.Beta*.

Parameters

- **concentration1** (*Functor*) – Positive concentration parameter.
- **concentration0** (*Functor*) – Positive concentration parameter.
- **value** (*Functor*) – Optional observation in (0, 1).

dist_class

alias of *pyro.distributions.torch.Beta*

class Binomial(total_count, probs, value=None)

Bases: *functor.distributions.Distribution*

Wraps *pyro.distributions.Binomial*.

Parameters

- **total_count** (*Functor*) – Total number of trials.
- **probs** (*Functor*) – Probability of each positive trial.
- **value** (*Functor*) – Optional integer observation (encoded as “real”).

dist_class

alias of *pyro.distributions.torch.Binomial*

class Categorical(probs, value='value')

Bases: *functor.distributions.Distribution*

Wraps *pyro.distributions.Categorical*.

Parameters

- **probs** (*Functor*) – Probability vector over outcomes.
- **value** (*Functor*) – Optional bounded integer observation.

dist_class

alias of *pyro.distributions.torch.Categorical*

class Delta(v, log_density=0, value='value')

Bases: *functor.distributions.Distribution*

Wraps *pyro.distributions.Delta*.

Parameters

- **v** (*Functor*) – The unique point of concentration.
- **log_density** (*Functor*) – Optional density (used by transformed distributions).
- **value** (*Functor*) – Optional observation of similar domain as v.

dist_class

alias of *pyro.distributions.delta.Delta*

class Dirichlet(concentration, value='value')

Bases: *functor.distributions.Distribution*

Wraps *pyro.distributions.Dirichlet*.

Parameters

- **concentration** ([Functor](#)) – Positive concentration vector.
- **value** ([Functor](#)) – Optional observation in the unit simplex.

dist_class

alias of `pyro.distributions.torch.Dirichlet`

class DirichletMultinomial (concentration, total_count, value='value')

Bases: `functor.distributions.Distribution`

Wraps `pyro.distributions.DirichletMultinomial`.

Parameters

- **concentration** ([Functor](#)) – Positive concentration vector.
- **total_count** ([Functor](#)) – Total number of trials.
- **value** ([Functor](#)) – Optional observation in the unit simplex.

dist_class

alias of `pyro.distributions.conjugate.DirichletMultinomial`

LogNormal (loc, scale, value='value')

Wraps `pyro.distributions.LogNormal`.

Parameters

- **loc** ([Functor](#)) – Mean of the untransformed Normal distribution.
- **scale** ([Functor](#)) – Standard deviation of the untransformed Normal distribution.
- **value** ([Functor](#)) – Optional real observation.

class Multinomial (total_count, probs, value=None)

Bases: `functor.distributions.Distribution`

Wraps `pyro.distributions.Multinomial`.

Parameters

- **probs** ([Functor](#)) – Probability vector over outcomes.
- **total_count** ([Functor](#)) – Total number of trials.
- **value** ([Functor](#)) – Optional value in the unit simplex.

dist_class

alias of `pyro.distributions.torch.Multinomial`

class Normal (loc, scale, value='value')

Bases: `functor.distributions.Distribution`

Wraps `pyro.distributions.Normal`.

Parameters

- **loc** ([Functor](#)) – Mean.
- **scale** ([Functor](#)) – Standard deviation.
- **value** ([Functor](#)) – Optional real observation.

dist_class

alias of `pyro.distributions.torch.Normal`

```
class MultivariateNormal(loc, scale_tril, value='value')
```

Bases: *functor.distributions.Distribution*

Wraps `pyro.distributions.MultivariateNormal`.

Parameters

- **loc** (`Functor`) – Mean vector.
- **scale_tril** (`Functor`) – Lower Cholesky factor of the covariance matrix.
- **value** (`Functor`) – Optional real vector observation.

dist_class

alias of `pyro.distributions.torch.MultivariateNormal`

```
class Poisson(rate, value=None)
```

Bases: *functor.distributions.Distribution*

Wraps `pyro.distributions.Poisson`.

Parameters

- **rate** (`Functor`) – Mean parameter.
- **value** (`Functor`) – Optional integer observation (coded as “real”).

dist_class

alias of `pyro.distributions.torch.Poisson`

```
class Gamma(concentration, rate, value=None)
```

Bases: *functor.distributions.Distribution*

Wraps `pyro.distributions.Gamma`.

Parameters

- **concentration** (`Functor`) – Positive concentration parameter.
- **rate** (`Functor`) – Positive rate parameter.
- **value** (`Functor`) – Optional positive observation.

dist_class

alias of `pyro.distributions.torch.Gamma`

```
class VonMises(loc, concentration, value=None)
```

Bases: *functor.distributions.Distribution*

Wraps `pyro.distributions.VonMises`.

Parameters

- **loc** (`Functor`) – A location angle.
- **concentration** (`Functor`) – Positive concentration parameter.
- **value** (`Functor`) – Optional angular observation.

dist_class

alias of `pyro.distributions.torch.VonMises`

CHAPTER 12

Mini-Pyro Interface

This interface provides a backend for the Pyro probabilistic programming language. This interface is intended to be used indirectly by writing standard Pyro code and setting `pyro_backend("functor")`. See `examples/minipyro.py` for example usage.

12.1 Mini Pyro

This file contains a minimal implementation of the Pyro Probabilistic Programming Language. The API (method signatures, etc.) match that of the full implementation as closely as possible. This file is independent of the rest of Pyro, with the exception of the `pyro.distributions` module.

An accompanying example that makes use of this implementation can be found at `examples/minipyro.py`.

```
class Distribution(functor_dist, sample_inputs=None)
    Bases: object
        log_prob(value)
        expand_inputs(name, size)
    get_param_store()

class Messenger(fn=None)
    Bases: object
        process_message(msg)
        postprocess_message(msg)

class trace(fn=None)
    Bases: functor.minipyro.Messenger
        postprocess_message(msg)
    get_trace(*args, **kwargs)
```

```
class replay (fn, guide_trace)
    Bases: funsor.minipyro.Messenger

    process_message (msg)

class block (fn=None, hide_fn=<function block.<lambda>>)
    Bases: funsor.minipyro.Messenger

    process_message (msg)

class seed (fn=None, rng_seed=None)
    Bases: funsor.minipyro.Messenger

class CondIndepStackFrame (name, size, dim)
    Bases: tuple

    dim
        Alias for field number 2

    name
        Alias for field number 0

    size
        Alias for field number 1

class PlateMessenger (fn, name, size, dim)
    Bases: funsor.minipyro.Messenger

    process_message (msg)

tensor_to_funsor (value, cond_indep_stack, output)

class log_joint (fn=None)
    Bases: funsor.minipyro.Messenger

    process_message (msg)

    postprocess_message (msg)

apply_stack (msg)

sample (name, fn, obs=None, infer=None)

param (name, init_value=None, constraint=Real(), event_dim=None)

plate (name, size, dim)

class PyroOptim (optim_args)
    Bases: object

class Adam (optim_args)
    Bases: funsor.minipyro.PyroOptim

    TorchOptimizer
        alias of torch.optim.adam.Adam

class ClippedAdam (optim_args)
    Bases: funsor.minipyro.PyroOptim

    TorchOptimizer
        alias of pyro.optim.clipped_adam.ClippedAdam

class SVI (model, guide, optim, loss)
    Bases: object

    step (*args, **kwargs)
```

```
Expectation(log_probs, costs, sum_vars, prod_vars)
elbo(model, guide, *args, **kwargs)

class ELBO(**kwargs)
    Bases: object

class Trace_ELBO(**kwargs)
    Bases: functor.minipyro.ELBO

class TraceMeanField_ELBO(**kwargs)
    Bases: functor.minipyro.ELBO

class TraceEnum_ELBO(**kwargs)
    Bases: functor.minipyro.ELBO

class Jit(fn, **kwargs)
    Bases: object

class Jit_ELBO(elbo, **kwargs)
    Bases: functor.minipyro.ELBO

JitTrace_ELBO(**kwargs)
JitTraceMeanField_ELBO(**kwargs)
JitTraceEnum_ELBO(**kwargs)
```


CHAPTER 13

Einsum Interface

This interface implements tensor variable elimination among tensors. In particular it does not implement continuous variable elimination.

`naive_contract_einsum(eqn, *terms, **kwargs)`

Use for testing Contract against einsum

`naive_einsum(eqn, *terms, **kwargs)`

Implements standard variable elimination.

`naive_plated_einsum(eqn, *terms, **kwargs)`

Implements Tensor Variable Elimination (Algorithm 1 in [Obermeyer et al 2019])

[Obermeyer et al 2019] Obermeyer, F., Bingham, E., Jankowiak, M., Chiu, J., Pradhan, N., Rush, A., and Goodman, N. Tensor Variable Elimination for Plated Factor Graphs, 2019

`einsum(eqn, *terms, **kwargs)`

Top-level interface for optimized tensor variable elimination.

Parameters

- `equation (str)` – An einsum equation.
- `*terms (funstor.terms.Funstor)` – One or more operands.
- `plates (set)` – Optional keyword argument denoting which funstor dimensions are plate dimensions. Among all input dimensions (from terms): dimensions in plates but not in outputs are product-reduced; dimensions in neither plates nor outputs are sum-reduced.

CHAPTER 14

Indices and tables

- genindex
- modindex
- search

Python Module Index

f

funSOR.adjoint, 23
funSOR.affine, 27
funSOR.cnf, 18
funSOR.delta, 12
funSOR.distributions, 39
funSOR.domains, 1
funSOR.einsum, 47
funSOR.gaussian, 17
funSOR.integrate, 19
funSOR.interpreter, 5
funSOR.joint, 18
funSOR.memoize, 6
funSOR.minipyro, 43
funSOR.montecarlo, 5
funSOR.numpy, 15
funSOR.ops, 3
funSOR.optimizer, 21
funSOR.pyro.convert, 36
funSOR.pyro.distribution, 31
funSOR.pyro.hmm, 32
funSOR.sum_product, 25
funSOR.terms, 7
funSOR.testing, 29
funSOR.torch, 13

A

abs (*in module funsor.ops*), 3
abs () (*Funsor method*), 9
ActualExpected (*class in funsor.testing*), 29
Adam (*class in funsor.minipyro*), 44
add (*in module funsor.ops*), 3
AddOp (*class in funsor.ops*), 4
adjoint () (*AdjointTape method*), 23
adjoint_binary () (*in module funsor.adjoint*), 23
adjoint_cat () (*in module funsor.adjoint*), 23
adjoint_contract () (*in module funsor.adjoint*), 23
adjoint_contract_generic () (*in module funsor.adjoint*), 23
adjoint_contract_unary () (*in module funsor.adjoint*), 23
adjoint_reduce () (*in module funsor.adjoint*), 23
adjoint_subs_gaussian_gaussian () (*in module funsor.adjoint*), 23
adjoint_subs_gaussianmixture_discrete () (*in module funsor.adjoint*), 23
adjoint_subs_gaussianmixture_gaussianmixture () (*in module funsor.adjoint*), 23
adjoint_subs_tensor () (*in module funsor.adjoint*), 23
adjoint_tensor () (*in module funsor.adjoint*), 23
AdjointTape (*class in funsor.adjoint*), 23
affine_inputs () (*in module funsor.affine*), 27
AffineNormal (*class in funsor.pyro.convert*), 37
align () (*Array method*), 16
align () (*Contraction method*), 18
align () (*Delta method*), 12
align () (*Funsor method*), 8
align () (*Gaussian method*), 18
align () (*Tensor method*), 14
align_array () (*in module funsor.numpy*), 15
align_arrays () (*in module funsor.numpy*), 16
align_gaussian () (*in module funsor.gaussian*), 17
align_tensor () (*in module funsor.torch*), 13
align_tensors () (*in module funsor.torch*), 13

all () (*Funsor method*), 9
and_ (*in module funsor.ops*), 3
any () (*Funsor method*), 9
apply_optimizer () (*in module funsor.optimizer*), 21
apply_stack () (*in module funsor.minipyro*), 44
arange () (*in module funsor.numpy*), 16
arange () (*in module funsor.torch*), 14
arg_constraints (*FunsorDistribution attribute*), 31
arg_constraints (*GaussianHMM attribute*), 33
arg_constraints (*SwitchingLinearHMM attribute*), 35
Array (*class in funsor.numpy*), 16
ArrayMeta (*class in funsor.numpy*), 16
as_tensor () (*BlockMatrix method*), 17
as_tensor () (*BlockVector method*), 17
assert_close () (*in module funsor.testing*), 29
assert_equiv () (*in module funsor.testing*), 29
AssociativeOp (*class in funsor.ops*), 4

B

Bernoulli () (*in module funsor.distributions*), 39
BernoulliLogits (*class in funsor.distributions*), 39
Beta (*class in funsor.distributions*), 40
Binary (*class in funsor.terms*), 10
binary_divide () (*in module funsor.cnf*), 19
binary_subtract () (*in module funsor.cnf*), 19
binary_to_contract () (*in module funsor.cnf*), 19
Binomial (*class in funsor.distributions*), 40
bint () (*in module funsor.domains*), 1
block (*class in funsor.minipyro*), 44
BlockMatrix (*class in funsor.gaussian*), 17
BlockVector (*class in funsor.gaussian*), 17

C

Cat (*class in funsor.terms*), 11
Categorical (*class in funsor.distributions*), 40
check_funsor () (*in module funsor.testing*), 29
clamp_finite () (*Tensor method*), 14

ClippedAdam (*class in funsor.minipyro*), 44
 CondIndepStackFrame (*class in funsor.minipyro*), 44
 Contraction (*class in funsor.cnf*), 18

D

Delta (*class in funsor.delta*), 12
 Delta (*class in funsor.distributions*), 40
 dim (*CondIndepStackFrame attribute*), 44
 Dirichlet (*class in funsor.distributions*), 40
 DirichletMultinomial (*class in funsor.distributions*), 41
 DiscreteHMM (*class in funsor.pyro.hmm*), 32
 dispatched_interpretation () (*in module funsor.interpreter*), 5
 dist_class (*BernoulliLogits attribute*), 39
 dist_class (*Beta attribute*), 40
 dist_class (*Binomial attribute*), 40
 dist_class (*Categorical attribute*), 40
 dist_class (*Delta attribute*), 40
 dist_class (*Dirichlet attribute*), 41
 dist_class (*DirichletMultinomial attribute*), 41
 dist_class (*Distribution attribute*), 39
 dist_class (*Gamma attribute*), 42
 dist_class (*Multinomial attribute*), 41
 dist_class (*MultivariateNormal attribute*), 42
 dist_class (*Normal attribute*), 41
 dist_class (*Poisson attribute*), 42
 dist_class (*VonMises attribute*), 42
 dist_to_funsor () (*in module funsor.pyro.convert*), 38
 distribute_subs_contraction () (*in module funsor.cnf*), 19
 Distribution (*class in funsor.distributions*), 39
 Distribution (*class in funsor.minipyro*), 43
 do_fresh_subs () (*in module funsor.cnf*), 19
 Domain (*class in funsor.domains*), 1
 dtype (*Funsor attribute*), 8

E

eager () (*in module funsor.terms*), 7
 eager_binary_array_array () (*in module funsor.numpy*), 16
 eager_binary_array_number () (*in module funsor.numpy*), 16
 eager_binary_number_array () (*in module funsor.numpy*), 16
 eager_contract_base () (*in module funsor.optimizer*), 21
 eager_contraction_gaussian () (*in module funsor.cnf*), 18
 eager_contraction_generic_recursive () (*in module funsor.cnf*), 18

eager_contraction_generic_to_tuple () (*in module funsor.cnf*), 18
 eager_contraction_tensor () (*in module funsor.cnf*), 18
 eager_contraction_to_binary () (*in module funsor.cnf*), 18
 eager_contraction_to_reduce () (*in module funsor.cnf*), 18
 eager_independent_joint () (*in module funsor.joint*), 18
 eager_log_prob () (*funsor.distributions.Distribution class method*), 39
 eager_markov_product () (*in module funsor.sum_product*), 26
 eager_or_die () (*in module funsor.terms*), 7
 eager_reduce () (*Delta method*), 13
 eager_reduce () (*Distribution method*), 39
 eager_reduce () (*Funsor method*), 9
 eager_reduce () (*Gaussian method*), 18
 eager_reduce () (*Stack method*), 11
 eager_reduce () (*Tensor method*), 14
 eager_reduce_exp () (*in module funsor.joint*), 18
 eager_subs () (*Array method*), 16
 eager_subs () (*Cat method*), 11
 eager_subs () (*Delta method*), 12
 eager_subs () (*Funsor method*), 8
 eager_subs () (*Gaussian method*), 18
 eager_subs () (*Independent method*), 12
 eager_subs () (*MarkovProduct method*), 26
 eager_subs () (*Slice method*), 11
 eager_subs () (*Stack method*), 11
 eager_subs () (*Tensor method*), 14
 eager_subs () (*Variable method*), 9
 eager_unary () (*Funsor method*), 9
 eager_unary () (*Number method*), 10
 eager_unary () (*Tensor method*), 14
 Einsum (*class in funsor.torch*), 15
 einsum () (*in module funsor.einsum*), 47
 ELBO (*class in funsor.minipyro*), 45
 elbo () (*in module funsor.minipyro*), 45
 eq (*in module funsor.ops*), 3
 exp (*in module funsor.ops*), 3
 exp () (*Funsor method*), 9
 expand () (*DiscreteHMM method*), 32
 expand () (*FunsorDistribution method*), 31
 expand () (*SwitchingLinearHMM method*), 35
 expand_inputs () (*Distribution method*), 43
 Expectation () (*in module funsor.minipyro*), 44
 ExpOp (*class in funsor.ops*), 4
 extract_affine () (*in module funsor.affine*), 27

F

filter () (*SwitchingLinearHMM method*), 35
 find_domain () (*in module funsor.domains*), 1

Function (*class in funsor.torch*), 14
 function () (*in module funsor.torch*), 14
Funsor (*class in funsor.terms*), 7
 funsor.adjoint (*module*), 23
 funsor.affine (*module*), 27
 funsor.cnf (*module*), 18
 funsor.delta (*module*), 12
 funsor.distributions (*module*), 39
 funsor.domains (*module*), 1
 funsor.einsum (*module*), 47
 funsor.gaussian (*module*), 17
 funsor.integrate (*module*), 19
 funsor.interpreter (*module*), 5
 funsor.joint (*module*), 18
 funsor.memoize (*module*), 6
 funsor.minipyro (*module*), 43
 funsor.montecarlo (*module*), 5
 funsor.numpy (*module*), 15
 funsor.ops (*module*), 3
 funsor.optimizer (*module*), 21
 funsor.pyro.convert (*module*), 36
 funsor.pyro.distribution (*module*), 31
 funsor.pyro.hmm (*module*), 32
 funsor.sum_product (*module*), 25
 funsor.terms (*module*), 7
 funsor.testing (*module*), 29
 funsor.torch (*module*), 13
 funsor_to_cat_and_mvnm () (*in module funsor.pyro.convert*), 37
 funsor_to_mvnm () (*in module funsor.pyro.convert*), 37
 funsor_to_tensor () (*in module funsor.pyro.convert*), 36
FunsorDistribution (*class in funsor.pyro.distribution*), 31

G

Gamma (*class in funsor.distributions*), 42
 Gaussian (*class in funsor.gaussian*), 17
 GaussianHMM (*class in funsor.pyro.hmm*), 32
 GaussianMixture (*in module funsor.cnf*), 18
 GaussianMRF (*class in funsor.pyro.hmm*), 33
 ge (*in module funsor.ops*), 3
 get_param_store () (*in module funsor.minipyro*), 43
 get_trace () (*trace method*), 43
 getitem (*in module funsor.ops*), 3
 GetitemOp (*class in funsor.ops*), 4
 gt (*in module funsor.ops*), 3

H

has_rsample (*DiscreteHMM attribute*), 32
 has_rsample (*GaussianHMM attribute*), 33
 has_rsample (*GaussianMRF attribute*), 34
 has_rsample (*SwitchingLinearHMM attribute*), 35

I

id_from_inputs () (*in module funsor.testing*), 29
 ignore_jit_warnings () (*in module funsor.torch*), 13
 Independent (*class in funsor.terms*), 11
 Integrate (*class in funsor.integrate*), 19
 interpretation () (*in module funsor.interpreter*), 5
 invert (*in module funsor.ops*), 3
 is_affine () (*in module funsor.affine*), 27
 item () (*Array method*), 16
 item () (*Funsor method*), 8
 item () (*Number method*), 10
 item () (*Tensor method*), 14

J

Jit (*class in funsor.minipyro*), 45
 Jit_ELBO (*class in funsor.minipyro*), 45
 JitTrace_ELBO () (*in module funsor.minipyro*), 45
 JitTraceEnum_ELBO () (*in module funsor.minipyro*), 45
 JitTraceMeanField_ELBO () (*in module funsor.minipyro*), 45

L

Lambda (*class in funsor.terms*), 11
 lazy () (*in module funsor.terms*), 7
 le (*in module funsor.ops*), 3
 log (*in module funsor.ops*), 3
 log () (*Funsor method*), 9
 log1p (*in module funsor.ops*), 3
 log1p () (*Funsor method*), 9
 log_joint (*class in funsor.minipyro*), 44
 log_normalizer (*Gaussian attribute*), 18
 log_prob () (*DiscreteHMM method*), 32
 log_prob () (*Distribution method*), 43
 log_prob () (*FunsorDistribution method*), 31
 log_prob () (*SwitchingLinearHMM method*), 35
 LogAddExpOp (*class in funsor.ops*), 4
 LogNormal () (*in module funsor.distributions*), 41
 LogOp (*class in funsor.ops*), 4
 logsumexp () (*Funsor method*), 9
 lt (*in module funsor.ops*), 3

M

make_chain_einsum () (*in module funsor.testing*), 29
 make_einsum_example () (*in module funsor.testing*), 29
 make_hmm_einsum () (*in module funsor.testing*), 29
 make_plated_hmm_einsum () (*in module funsor.testing*), 29
 MarkovProduct (*class in funsor.sum_product*), 26
 MarkovProductMeta (*class in funsor.sum_product*), 26

materialize() (in module `funSOR.numpy`), 17
materialize() (in module `funSOR.torch`), 14
`matmul` (in module `funSOR.ops`), 3
`matrix_and_mvN_to_funSOR()` (in module `funSOR.pyro.convert`), 37
`max` (in module `funSOR.ops`), 3
`max()` (FunSOR method), 9
`memoize()` (in module `funSOR.memoize`), 6
`Messenger` (class in `funSOR.minipyro`), 43
`min` (in module `funSOR.ops`), 3
`min()` (FunSOR method), 9
`moment_matching()` (in module `funSOR.terms`), 7
`moment_matching_contract_default()` (in module `funSOR.joint`), 18
`moment_matching_contract_joint()` (in module `funSOR.joint`), 18
`moment_matching_reduce()` (FunSOR method), 9
`monte_carlo()` (in module `funSOR.montecarlo`), 5
`monte_carlo_interpretation()` (in module `funSOR.montecarlo`), 5
`mul` (in module `funSOR.ops`), 3
`Multinomial` (class in `funSOR.distributions`), 41
`MultivariateNormal` (class in `funSOR.distributions`), 41
`mvN_to_funSOR()` (in module `funSOR.pyro.convert`), 36

N

`naive_contract_einsum()` (in module `funSOR.einsum`), 47
`naive_einsum()` (in module `funSOR.einsum`), 47
`naive_plated_einsum()` (in module `funSOR.einsum`), 47
`naive_sequential_sum_product()` (in module `funSOR.sum_product`), 25
`name` (`CondIndepStackFrame` attribute), 44
`ne` (in module `funSOR.ops`), 3
`neg` (in module `funSOR.ops`), 3
`NegOp` (class in `funSOR.ops`), 4
`Normal` (class in `funSOR.distributions`), 41
`normalize_contraction_commutative_canonicalize()` (in module `funSOR.cnf`), 18
`normalize_contraction_commute_joint()` (in module `funSOR.cnf`), 19
`normalize_contraction_generic_args()` (in module `funSOR.cnf`), 19
`normalize_contraction_generic_tuple()` (in module `funSOR.cnf`), 19
`normalize_fuse_subs()` (in module `funSOR.cnf`), 19
`normalize_trivial()` (in module `funSOR.cnf`), 19
`num_elements` (`Domain` attribute), 1
`Number` (class in `funSOR.terms`), 10

O

`of_shape()` (in module `funSOR.terms`), 12
`Op` (class in `funSOR.ops`), 4
`optimize()` (in module `funSOR.optimizer`), 21
`optimize_contract_finitary_funSOR()` (in module `funSOR.optimizer`), 21
`or_()` (in module `funSOR.ops`), 3

P

`param()` (in module `funSOR.minipyro`), 44
`partial_sum_product()` (in module `funSOR.sum_product`), 25
`PatternMissingError`, 5
`plate()` (in module `funSOR.minipyro`), 44
`PlateMessenger` (class in `funSOR.minipyro`), 44
`Poisson` (class in `funSOR.distributions`), 42
`postprocess_message()` (`log_joint` method), 44
`postprocess_message()` (`Messenger` method), 43
`postprocess_message()` (`trace` method), 43
`pow` (in module `funSOR.ops`), 4
`pretty()` (FunSOR method), 8
`process_message()` (`block` method), 44
`process_message()` (`log_joint` method), 44
`process_message()` (`Messenger` method), 43
`process_message()` (`PlateMessenger` method), 44
`process_message()` (`replay` method), 44
`prod()` (FunSOR method), 9
`PyroOptim` (class in `funSOR.minipyro`), 44

Q

`quote()` (FunSOR method), 8

R

`random_array()` (in module `funSOR.testing`), 29
`random_gaussian()` (in module `funSOR.testing`), 29
`random_mvN()` (in module `funSOR.testing`), 29
`random_tensor()` (in module `funSOR.testing`), 29
`reals()` (in module `funSOR.domains`), 1
`ReciprocalOp` (class in `funSOR.ops`), 4
`recursion_reinterpret_contraction()` (in module `funSOR.cnf`), 18
`Reduce` (class in `funSOR.terms`), 10
`reduce()` (FunSOR method), 8
`reduce_funSOR()` (in module `funSOR.cnf`), 19
`reflect()` (in module `funSOR.terms`), 7
`reinterpret()` (in module `funSOR.interpreter`), 5
`replay` (class in `funSOR.minipyro`), 43
`requires_grad` (FunSOR attribute), 8
`requires_grad` (Tensor attribute), 14
`reshape()` (FunSOR method), 9
`ReshapeOp` (class in `funSOR.ops`), 4
`rsample()` (FunSORDistribution method), 31

S

safediv (*in module funsor.ops*), 4
 safesub (*in module funsor.ops*), 4
 sample () (*Functor method*), 8
 sample () (*FunctorDistribution method*), 31
 sample () (*in module funsor.minipyro*), 44
 seed (*class in funsor.minipyro*), 44
 sequential () (*in module funsor.terms*), 7
 sequential_reduce () (*Functor method*), 9
 sequential_sum_product () (*in module funsor.sum_product*), 25
 set_interpretation () (*in module funsor.interpreter*), 5
 shape (*Functor attribute*), 8
 sigmoid (*in module funsor.ops*), 4
 sigmoid () (*Functor method*), 9
 size (*CondIndepStackFrame attribute*), 44
 size (*Domain attribute*), 1
 Slice (*class in funsor.terms*), 10
 solve () (*in module funsor.delta*), 12
 sqrt (*in module funsor.ops*), 4
 sqrt () (*Functor method*), 9
 Stack (*class in funsor.terms*), 11
 step () (*SVI method*), 44
 sub (*in module funsor.ops*), 4
 SubOp (*class in funsor.ops*), 4
 Subs (*class in funsor.terms*), 9
 sum () (*Functor method*), 9
 sum_product () (*in module funsor.sum_product*), 25
 support (*FunctorDistribution attribute*), 31
 SVI (*class in funsor.minipyro*), 44
 SwitchingLinearHMM (*class in funsor.pyro.hmm*), 34

T

Tensor (*class in funsor.torch*), 13
 tensor_to_funsor () (*in module funsor.minipyro*),
 44
 tensor_to_funsor () (*in module funsor.pyro.convert*), 36
 to_data () (*in module funsor.terms*), 9
 to_funsor () (*in module funsor.terms*), 12
 torch_tensordot () (*in module funsor.torch*), 15
 TorchOptimizer (*Adam attribute*), 44
 TorchOptimizer (*ClippedAdam attribute*), 44
 trace (*class in funsor.minipyro*), 43
 Trace_ELBO (*class in funsor.minipyro*), 45
 TraceEnum_ELBO (*class in funsor.minipyro*), 45
 TraceMeanField_ELBO (*class in funsor.minipyro*),
 45
 truediv (*in module funsor.ops*), 4

U

Unary (*class in funsor.terms*), 10

unary_contract () (*in module funsor.cnf*), 19
 unary_log_exp () (*in module funsor.cnf*), 19
 unary_neg_variable () (*in module funsor.cnf*), 19
 unfold () (*in module funsor.optimizer*), 21
 unfold_contraction_generic_tuple () (*in module funsor.optimizer*), 21
 unscaled_sample () (*Contraction method*), 18
 unscaled_sample () (*Delta method*), 13
 unscaled_sample () (*Functor method*), 8
 unscaled_sample () (*Gaussian method*), 18
 unscaled_sample () (*Independent method*), 12
 unscaled_sample () (*Subs method*), 10
 unscaled_sample () (*Tensor method*), 14

V

Variable (*class in funsor.terms*), 9
 VonMises (*class in funsor.distributions*), 42

X

xfail_if_not_implemented () (*in module funsor.testing*), 29
 xfail_param () (*in module funsor.testing*), 29
 xor (*in module funsor.ops*), 4